


SPOTMIX FISH

ALL BEGINNING IS:
ECONOMICAL FEEDING!



SCHAUER[®]
PERFECT FARMING SYSTEMS



INNOVATIVE TECHNOLOGY FOR AUTOMATIC FISH FEEDING

SPOTMIX FISH 2

- Minimal feed breakage and lowest water pollution due to the pneumatic conveying system and plant components optimized for fish feed
- Saving working time as well as improving the quality of work
- Output quantity per feeding station independent of container content
- Adjustable feed rate, feed speed and feeding intervals
- Easy to install and low maintenance due to purely electrical devices (no compressed air required)



FROM THE WAREHOUSE TO THE FEEDING STATION

- Spiral screws optimized for pellets
- Compact dosing and mixing station
- Exact dosage
- Feed mixtures possible
- Feed-friendly, mechanical discharge to the chamber sluice
- Durable industrial chamber sluice optimized for fish feed
- Adjustable feed rate and speed per valve
- Side channel compressor or industrial rotary vane compressor
- Electr. triple tube diverter and sixfold rotary diverter with position monitoring and lowest deflection
- Stainless steel pipes with smooth inner wall
- Pipe bends with large radius
- Screwed pipe connectors for surface mounting
- Waterproof pipe connectors for underground pipes
- Overground and underground lines possible
- Optimized feed ejectors for hatcheries, ponds and basins, side ejectors for long narrow basins, via cyclone for automatic machines



Operational control



Optimized spiral screws



Feed friendly discharge

HIGHEST QUALITY STANDARD & FUNCTIONALITY IN EVERY DETAIL

- ▶ PARTICULARLY FEED FRIENDLY
- ▶ FLEXIBLE LINE ROUTING
- ▶ LOWER WATER POLLUTION
- ▶ PRECISE DOSING AND DISTRIBUTION
- ▶ RELIABLE AND DURABLE
- ▶ SHORTER PRODUCTION TIMES
- ▶ LOWER FEED LOSSES
- ▶ BEST FEED RATIO

CONTROL

- Process visualization and intuitive operation
- Individual sequence and feeding curve per feeding station
- LAN interface and remote access
- In-house hardware and software development and production
- Descriptive designation per feeding station possible
- Seamless connection to the oxygen system
- Available data interfaces to the management software
- Water temperature dependent feed quantities



Pipe switch in the shaft



Rotary distributor in the shaft



Rotary distributor surface mounting



Side ejection



Spread pattern side discharge



Best feed quality



SPOTMIX FISH

USABLE ON ALL SIDES - INDOORS, OUTDOORS AND OFFSHORE!

- Spotmix Fish can be used to distribute the feed on the water surface or to fill automatic feeders (optional with full detector).
- Feeding existing distribution systems is also possible.
- Your partner for automated fish feeding with handshake quality

PROFESSIONAL PLANNING

Worldwide experience in the design of feeding systems

FIRST CLASS PRODUCTS

High-performance and low-wear products for successful fish production

FIRST-CLASS SERVICE AND DECADES OF SPARE PARTS SUPPLY

For software, hardware and mechanics

SCHAUER
PERFECT FARMING SYSTEMS

SCHAUER Agrotronic GmbH

Passauer Straße 1
A-4731 Prambachkirchen
Tel.: +43/72 77/23 26-0

SCHAUER Maschinenfabrik GmbH Vertriebsgesellschaft


D-94060 Pocking, Gewerbering 19
Tel.: +49/85 31/82 72

Schauer Agrotronic AG

CH-6247 Schötz, Sentmatte 4
Tel.: +41/41/926/80 00



Indoor facility



Feeding station



www.schauer-agrotronic.com | office@schauer-agrotronic.com