


***Fully automatic fish-feeding,  
fish breeding indoor and outdoor***



**SPOTMIX FISH**  
MULTIPHASEN FISCHFÜTTERUNG

**Your fishes are fed reliably daily and repeatedly  
SpotmixFISH can feed slowly and allows several blends of feed.  
Best growth, top quality and feed savings.**



→ Achieved via individual computer control of SpotmixFISH




**Saving labor time and saving manpower, automatic feeding, higher daily gains  
(constant feeding also at weekends, leave days,..)**



**→ Achieved via automatic control of the feeding process**

Remotely controllable for as many stations as desired.



→ Achieved via „standard ports“ of SpotmixFISH

Accurate recording and analysing of feed consumption data,  
fish weight, storage... and more

**Verbrauch Komponenten**

Teiche Komponenten

Verbrauch anzeigen

☐ Alle  
☒ Zeitraum  
 18.08.2015  
 02.09.2015

☒ Alle  
☐ Teiche:

☒ Menge  
☐ Energie  
☐ Preis  
☐ Trockensubstanz

Maximale Tage 365

Teich	Komponente	Menge	Energie	Preis	TS
1	2,5 - 3,0mm	44,39	0,00	0,00	4 438,99
1	4,0 - 4,5mm	69,83	0,00	0,00	6 983,01
2	1,5mm	46,47	0,00	0,00	4 647,00
3	4,0 - 4,5mm	81,45	0,00	0,00	8 145,00
4	1,8 - 2,0mm	65,07	0,00	0,00	6 507,00
5	4,0 - 4,5mm	77,20	0,00	0,00	7 719,67
5	4,0 - 4,5mm BC	179,80	0,00	0,00	17 980,34
6	2,5 - 3,0mm	119,85	0,00	0,00	11 985,09
6	4,0 - 4,5mm	189,55	0,00	0,00	18 954,91
7	4,0 - 4,5mm	262,01	0,00	0,00	26 201,00
8	4,0 - 4,5mm	296,75	0,00	0,00	29 675,00
9	6,0mm	169,67	0,00	0,00	16 967,00
10	2,5 - 3,0mm	207,77	0,00	0,00	20 777,00
11	2,5 - 3,0mm	5,68	0,00	0,00	568,00
11	6,0mm	11,24	0,00	0,00	1 124,00
12	2,5 - 3,0mm	72,57	0,00	0,00	7 256,61
12	4,0 - 4,5mm	115,10	0,00	0,00	11 510,39
13	6,0mm BC	134,21	0,00	0,00	13 421,00
14	6,0mm	30,48	0,00	0,00	3 048,06
14	6,0mm BC	71,29	0,00	0,00	7 128,95
15	6,0mm	51,27	0,00	0,00	5 126,78
15	6,0mm BC	119,98	0,00	0,00	11 998,22
16	4,0 - 4,5mm	44,60	0,00	0,00	4 460,00
16	6,0mm	27,06	0,00	0,00	2 705,68
Summe		3 817,99	0,00	0,00	381 799,00

Spotmix **SCHAUER** 02.09.2015 13:24:15

→ Achieved via fish management software of SpotmixFISH !



**Precise! Different feed instructions for as many different eating areas as desired.**



**→ Achieved via proper weighing system installed in the central mixer**

Individual blending for each eating area possible



→ Achieved via central mixer!



**Automatic adaptation of feed quantity and kind of feed  
according to daily gain, water temperature, oxygen level**



**→ Achieved via automatic feed curve and daily routine**



Essential feed cost savings and keeping clean of fish water (no feed losses)



→ Achieved via gentle targeted transportation of feed!

No obstructive feeding containers



**→ Achieved via hidden feed pipes!**



- Central distribution technology within the dry feed storage close to the lorry access (for breeding, fattening, spawn..)
- Fresh feed in the brood house too (no mildew).
- No need for lorries to enter the working area  
→ better hygienic conditions



**→ Achieved via central feed distribution with stainless blow pipe!**

## **SpotmixFISH profitability**

- ✓ **Fish stocking of 70 t means up to € 30.000,- / year in savings from labor and feed costs.**
- ✓ **Production period up to 20% shorter**
- ✓ **Labor time and staff savings (improvement of quality of work)!**
- ✓ **Feed savings and clean fish water**
- ✓ **Feed cost savings (due to accurate, targeted feeding)**
- ✓ **Automatic adaptation of feed quantities and growth of fishes**
- ✓ **Distribution of individual feed blends (intervalic) (up to 10 times a day or more )**
- ✓ **Central dry feed store with lorry access**
- ✓ **Accurate recording and analysing of feed data**
- ✓ **year-round running (weather resistant)**



**→ With SpotmixFISH !**

---



**SpotmixFISH is reliable (frost-proof, heat resistant....)**

## Computer:

- ✓ Easy control via pulldown-menus
- ✓ Great clear display
- ✓ Lightning arrester and automatic data safe
- ✓ O2-control system
- ✓ Feeding according to water temperature
- ✓ Management informations (fish stock, feed,...)

## Feed distribution:

- ✓ Gentle dust-free transportation of feed via air
- ✓ Hidden feeding pipes of stainless steel (50 mm)
- ✓ Pipe lengths up to 800 m (Hofer Lautenbach)
- ✓ Frost-proof, heat resistant
- ✓ Accurate feeding tests made easy



**→ SpotmixFISH the „all-rounder “!**

## Ruf Lechmühle







Hofer Oberndorf







Ramail Fritzlar









**SCHAUER**

ALWAYS ONE IDEA AHEAD

*"all the best for your aquaculture business"*

**Schauer Agrotronic GmbH**

**Passauer Str.**

**A-4731 Prambachkirchen**

**Tel.: +43/7277/2326-0**

**Fax: +43/7277/2326-22**

**Schauer-agrotronic.com**